### **Prescription Enrollment Form**



Questions? Call the Nerivio Support Team: (937) 637-4846

# Prescribers: Please complete this form in its entirety & attach Patient Face Sheet,

Nerivio

then fax to: (888) 214-0258

PA	TIENT INFORM	ATION			
Patient Name:		DOB:	Sex:		
Address:					
City:		State:	Zip Code:		
Cell Number:	E-mail:				
INSURANCE INFORMATION					
Insurance Company:	Plan/Group Name:				
	Group Number:				
Policyholder's Name:	Policyholder's DOB:				
PRE	SCRIBER INFOR	MATION			
Prescriber Name:		Clinic:			
Clinic Address:					
City:		State:	Zip Code:		
Office Contact:	Email:				
Primary Phone:					
PRESCRIPTION INFORMATION					
Check the appropriate ICD-10 code (required):         G43.001       G43.009       G43.011       G43.019       G43.101       G43.109       G43.111         G43.119       G43.701       G43.709       G43.711       G43.719       Other: G43.         Additional Clinical Information (Please check all that apply):       Patients at risk of drug-drug interaction with other medications.       Pregnant women, women who are trying to conceive, or are breast-feeding.         If applicable, check all acute and/or preventive treatments that have been tried.       If applicable, check all acute and/or preventive treatments that have been tried.					
□ Triptans □ NSAIDS/oral analgesi		_	ots  Antiepileptics		
Beta Blockers  Monoclonal Antibodies	s ∐ Botox	Antidepressants	☐ Other:		
<ul> <li>Directions &amp; Nerivio Quantity (require Set a strong, yet comfortable intensity level for</li> <li>Acute: 45 min treatment at onset of mig</li> <li>Prevention: 45 min treatment every ot</li> <li>Dual Use: 45 min treatment every oth</li> <li>30 Day Supply (1 Initial fill) + 12 Ref</li> <li>90 Day Supply (3 Initial fills) + 12 Ref</li> </ul>	each 45 min treatme graine. <b>1 Initial Fill</b> 4 her day, or as direct er day for preventior efill Units	- 12 Refill Units ed. n and/or at onset of migra ☐ Additional Refill Qty ☐ Additional Refill Qty	:: /:		
Prescriber Signature:		D	ate:		

For eRx Instructions: call (937) 637- 4846 or email Support@Nerivio.com



# Nerivio prescriptions can be submitted to RISRx Pharmacy via your EMR or via FAX

### PRESCRIBING NERIVIO VIA YOUR ELECTRONIC MEDICAL RECORD (EMR) SYSTEM

1. Select "Retail" Pharmacy from your EMR search library by using the following criteria;

eRx Pharmacy Name: Pacific LTC Pharmacy			
NCPDP / NABP#	5664417	NPI #	1871002485
Phone (not for Rx or patient support): (949) 524-3566			
Address: 361HospitalRd.Suite 425 NewportBeach,CA 92663			

### **2.** In the notes section MUST include:

- a) "Nerivio"
- b) Number of Refills
- c) Diagnosis Code
- d) One of these instructions for use:
  - Acute: 45 minute treatment at onset of migraine
  - Prevention: 45 minute treatment every other day, or as directed
  - Dual Use: 45 minute treatment every other day for prevention **and**/or at onset of migraine

### **3**. Attach patient demographic sheet to include:

- Any additional clinical criteria
- Chart notes from recent visits
- Medical Insurance information
- o If unable to locate the pharmacy/distributor in your search library, contact your EMR administrator or EMR software vendor and ask to have this pharmacy/distributor added to your system
- To reach the pharmacy directly regarding a specific prescription, please call 1 888-214-6693
- If you require additional assistance, please call Nerivio Cares at (937) 637-4846
   or email at support@nerivio.com


### PRESCRIBING NERIVIO VIA FAX

- **1.** FAX the following to 1 888-214-0258
  - The completed Nerivio Enrollment Form
  - Patient demographic face sheet
  - Chart notes from recent visits
  - Medical insurance information
  - o If you require additional assistance, or need a copy of the Nerivio Prescription Enrollment form, please call Nerivio Cares at (937) 637-4846 or email at support@nerivio.com



## One Device for Effective Migraine Prevention and Treatment

Nerivio is a wearable migraine therapy that is safe and effective for preventing and treating migraine in patients ages 8 years and up.



# Acute Treatment of Migraine<sup>2</sup>

# Adults at 2-hours Post Treatment

Clinical trials demonstrate that Nerivio provides consistent relief of pain and associated migraine symptoms, as well as significant reduction in monthly migraine days


Nerivio is safe and well tolerated with no systemic side effects or concern for medication overuse.




of Adult Chronic patients achieved relief 2-hours post controlled, multi-center study (n=252) treatment with Nerivio.<sup>3,4</sup> 80% % Responders 60% 67% 40% of children<sup>5</sup> and adolescents<sup>6</sup> 39% 37% achieved pain relief 2-hours 20% post treatment with Nerivio. 18%

**Episodic Patients<sup>2</sup>** (\* Randomized Controlled Trial) Prospective, randomized, double-blind, placebo

**Pivotal Acute RCT\* in Adult** 



After only one month, patients using Nerivio every other day showed a significant reduction in the number of migraine days per month.<sup>1</sup>



Active

Placebo

**Pivotal Prevention RTC\*** (\* Randomized Controlled Trial)

> Significant reduction of MMD was reported in patients whether or not they were taking other preventive treatment in addition to Nerivio vs. placebo (p≤0.03).

Of the 128 Nerivio patients studied, zero patients reported device related adverse events in the pivotal prevention trial.<sup>1</sup>

Scan here for clinical study info

57%

72%



- 1. Tepper SJ, et al. Remote electrical neuromodulation for migraine prevention: A double-blind, randomized, placebo-controlled clinical trial. Headache. 2023 Mar;63(3):377-389. doi: 10.1111/head.14469
- 2. Yarnitsky D, et al. Remote Electrical Neuromodulation (REN) Relieves Acute Migraine: A Randomized, Double-Blind, Placebo-Controlled, Multicenter Trial. Headache. 2019 Sep;59(8):1240-1252. doi: 10.1111/head.13551
- 3. Nierenburg H. et al. Remote Electrical Neuromodulation for the Acute Treatment of Migraine in Patients with Chronic Migraine: An Open-Label Pilot Study. Pain Ther. 2020 Dec;9(2):531-543. doi: 10.1007/s40122-020-00185-1.
- 4. Grosberg B, et al. Safety and efficacy of remote electrical neuromodulation for the acute treatment of chronic migraine: an open-label study. Pain Rep. 2021 Oct 14;6(4):e966. doi: 10.1097/PR9.000000000000066.
- 5. Werner K, et al. Acute treatment of migraine in children aged 6–11: Real-world analysis of remote electrical neuromodulation (REN). Annals of the Child Neurology Society. 2024 June;2(2): 135-145. doi.org/10.1002/cns3.20073.
- 6. Hershey AD, et al. Remote electrical neuromodulation for acute treatment of migraine in adolescents. Headache. 2021 Feb;61(2):310-317. doi.org/10.1111/head.14042.

Scan here for

important safety info